

Abr 12 2015

[Error Postfix Virtualmin-Webmin en debian 7](#)

By mar10

Tengo instalado en varios servidores webmin/virtualmin y en mi equipo tengo máquinas virtuales también trabajando con servidores para pruebas. La última instalación de Debian 7 y webmin/virtualmin al intentar instalar un script me lanzaba este error:

Failed to install script : Failed to query Postfix config command to get the current value of parameter recipient_bcc_maps:

Solución en la imagen:

Sólo tenemos que instalar el módulo de Postfix para webmin. Hacemos Click en Postfix Mail Server. En la siguiente pantalla nos dará un vinculo para instalar el módulo, ([click_here](#)).

The screenshot shows the Virtualmin Webmin interface. On the left is a navigation menu with options like 'Create Virtual Server', 'Edit Virtual Server', 'System Settings', etc. The main area is divided into 'System Information' and 'Status'. The 'System Information' section displays details such as 'System hostname', 'Webmin version 1.740', 'Time on system Fri Apr 10 00:03:23 2015', 'Processor information', 'Running processes 177', 'CPU usage', 'Real memory', 'Virtual memory', 'Local disk space', and 'Package updates'. The 'Status' section lists various services with their status: Apache Webserver, Postfix Mail Server (highlighted with a red box and an arrow), ProFTPD FTP Server, ClamAV Virus Scanning Server, MySQL Database Server, BIND DNS Server, Dovecot IMAP / POP3 Server, SSH Server, SpamAssassin Filter Server, and PostgreSQL Database Server. A red arrow points from the text below to the 'Postfix Mail Server' entry.

Click e instalar módulo de configuración postfix de webmin ([click-here](#))

Tags:

[Linux Help](#)

[Solución](#)

[Linux](#)

[Debian](#)

[Webmin](#)

[Virtualmin](#)

- [Inicie sesión](#) o [regístrese](#) para comentar
- 1294 lecturas